

STNO

Socle Technique

« Nourri sans OGM »

Technical Platform “GMO-free fed”



Certification standard for the manufacture and trade of animal feeds meeting “(<0.9%) GMO-free fed” or “from (< 0.9%) GMO-free fed animals” specifications

Version 7 – applicable in January 2021

Table of content

General elements.....	3
1.1 Scope of certification.....	3
1.2 Terms and definitions.....	3
2 GMO Feed safety management.....	4
2.1 Risk analysis for feed materials	4
2.1.1 Feed materials	4
2.1.2 Risk analysis for MPR and MPS identification	4
2.1.3 Sampling of feed material	5
2.1.5 Pooled- self monitoring plan	5
2.1.6 Compound feed	5
2.2 Risk analysis of process	6
2.2.1 Risk analysis of cross contamination	6
2.2.2 Control of cross-contamination.....	6
2.2.3 Identification and Traceability.....	6
2.3 Analytical monitoring for compound feed	6
2.3.1 Internal analytical monitoring plan for compound feed	6
2.3.2 Interpretation of analyses results.....	7
2.3.3 Improvement plan.....	7
3 Sampling and analysis management.....	8
__3.1 Laboratories.....	8
__3.2 Size of samples for laboratories.....	9
__3.3 Interpretation of the analysis results.....	9
4 Labelling and communication	10
__4.1 Labelling	10
__4.2 Logo.....	10
Appendix 1 - Help in identifying feed materials likely to contain GMO	12
Appendix 2 - Factory analytical monitoring plan: management procedure for a “compound feed” analysis in the event of results strictly greater than 0.9% GMO	13
Appendix 3 - Audit of “GMO-free fed” technical platform.....	14

General elements

1.1 Scope of certification

Decree No. 2012-128 of 30 January 2012 on the labelling of foodstuffs from qualified sectors "without genetically modified organisms" allows agri-food operators to value from consumers foodstuffs from qualified sectors "without GMO". Regarding animal products, the rules for the use of the following two mentions are detailed in this decree:

- *The statement: "(< 0.9%) GMO-free fed" is reserved for unprocessed livestock ingredients in the meaning Regulation of 29th April 2004 on the hygiene of foodstuffs, except for eggs and milk from animals fed exclusively with feed not subject to the labelling obligations of amended Regulation (EC) No 1829/2003 of 22 September 2003 on genetically modified food and feed.*
- *The statement: "from (< 0.9%) GMO-free fed animals" is reserved for processed livestock ingredients in the meaning of the Regulation of 29 April 2004 on the hygiene of foodstuffs, for eggs and for milk from livestock fed exclusively with feed not subject to the labelling requirements of amended Regulation (EC) No 1829/2003 of 22nd September 2003 on genetically modified food and feed.*

This certification standard applies to the manufacturer, distributor or merchant of compound feedingstuffs (in the regulatory sense) who undertakes to provide livestock breeders who order them feed (feed materials and / or compound feed) not labelled GMO in accordance with Regulation (EC) No 1829/2003 of 22nd September 2003. It provides a technical and professional response to animal nutrition operators wishing to engage in a "GMO-free" process as provided for in Decree No 2012-128.

The audit for the STNO certification is a complementary audit to the OQUALIM RCNA "Certification Standard Animal Nutrition" audit relating to the health safety and quality of feed, or certification standard recognized as equivalent by OQUALIM.

The STNO certification is based on three types of obligation to which the feed manufacturers, distributors and merchants commit:

- **Supply of feed materials guaranteed $\leq 0.9\%$ GMO.**
- **The introduction of means in the factory to bring cross-contamination to a technically unavoidable level.**
- **Analytical monitoring of manufactured feed.**

The RCNA requirements with a direct impact on the control of GMOs are explicitly included in this document.

1.2 Terms and definitions

At-risk Feed Materials (MPR) : guaranteed feed materials $\leq 0.9\%$ of GMOs for which there are GMO varieties authorized for distribution in the European Union, and from production areas where these GMO varieties are authorized for cultivation.

Distributor: physical holder of feed (excluding retail) performing the following process steps to the exclusion of any other: procurement, reception, storage - transfer, loading and delivery.

For the purpose of this standard, the terms "feed" will be used for all products falling within its scope (premises and all types of food).

Feed materials: Products of vegetable or animal origin, whose principal purpose is to meet animals' nutritional needs, in their natural state, fresh or preserved, and products derived from the industrial processing thereof, and organic or inorganic substances, whether or not containing feed additives, which are intended for use in oral animal-feeding either directly as such, or after processing, or in the preparation of compound feed, or as carrier of premixes (Regulation 767/2009).

Incoming Material: In the text of this guide, any product entering in the composition of animal feed, for any purpose in business, manufacturing, distribution or trade, such as:

- Feed materials,
- Additives,
- Premixes,
- Processing aids,
- Medicated premixes,
- Compound feed

Merchant: an economic operator exclusively carrying out purchases and resale actions in the form of incoming materials or compound feed (without physical possession of feed).

Sensitive Feed Materials (MPS) : guaranteed feed materials $\leq 0.9\%$ of GMOs for which there are GMO varieties authorized for distribution in the European Union, and from production areas where these GMO varieties are not authorized for cultivation.

2 GMO Feed safety management

2.1 Risk analysis for feed materials

2.1.1 Feed materials

The feed materials used are not subject to GMO labelling within the meaning of Regulation (EC) No 1829/2003.

2.1.2 Risk analysis for MPR and MPS identification

The feed manufacturer, distributor or merchant must perform a risk analysis on feed materials used, distributed or traded, considering GMO to identify the MPR and MPS. (**Feed materials:** Products of vegetable or animal origin, whose principal purpose is to meet animals' nutritional needs, in their natural state, fresh or preserved, and products derived from the industrial processing thereof, and organic or inorganic substances, whether or not containing feed additives, which are intended for use in oral animal-feeding either directly as such, or after processing, or in the preparation of compound feed, or as carrier of premixes (Regulation 767/2009)).

A feed material composed by several ingredients (e.g : products from biscuit factory, pastery...), as the same as a complementary feed, does not need a MPR/MPS identification ingredient per ingredient.

The scopes covered by the risk analysis should be relevant and take into account all the events authorized for marketing within the European Union. (see European register of authorized GMOs¹).

¹ http://ec.europa.eu/food/dyna/gm_register/index_en.cfm

Appendix 1 - Help in identifying feed materials likely to contain GMO - allows manufacturers to carry out a risk analysis according to the plant species and the origin of the feed material and, consequently, to define the minimum level of guarantees to be obtained from the suppliers.

In the case of at-risk or sensitive feed materials (MPR / MPS) placed on the market by their owner, the feed manufacturer, distributor or merchant and which do not pass through the plant, the owner must:

- ensure that its supplier of MPR / MPS communicates to him the origin of the material,
- recover from its supplier of MPR / MPS the risk analysis relating to the management of GMOs,
- ensure that its supplier of MPR / MPS performs GMO analyzes,
- ensure that its supplier of MPR / MPS undertakes to transmit to him any result that is strictly greater than 0.9%.
- must carry out a traceability exercise on a MPR / MPS delivered directly in livestock breeding (delivery in breeding > transport > storage > country of production of the feed material). The frequency of this traceability exercise is based on the risk analysis and must be performed at least once a year.

2.1.3 Sampling of feed material

a) When troubleshooting a compound feed analysis result strictly greater than 0.9% GMO, feed material samples from the manufacturer can be analyzed. For this, the manufacturer or the wholesale distributor makes sure to keep samples weighing approximately 300 g.

b) The shelf life of the samples of each batch of feed materials is defined in coherence with the activity of the company.

2.1.4 Self-monitoring plan of feed materials

a) The frequency and relevance of self-monitoring analyses are determined according to the risk analysis. The manufacturer, or the distributor or the merchant can use the analytical control plan from its supplier and the guarantees offered by the feed material origin as a basis.

At a minimum one analysis will be performed by MPR.

b) The feed material control plan must not be based solely on supplier analyses. The feed manufacturer and the wholesale distributor undertake to carry out feed material analyses on physically held materials as part of its risk analysis when there is a feed material with extractible DNA. (For more details on matrices not eligible, see the « Guide technique Analyses OGM » published by La Coopération Agricole Nutrition Animale and SNIA

2.1.5 Pooled- self monitoring plan

The feed manufacturer and the wholesale distributor participate in the pooled-self monitoring plan on the detection and quantification of GMOs, implemented by OQUALIM.

2.1.6 Compound feed

When the feed manufacturer, or the distributor or the merchant distributes a compound feed for "fed without GMO*" sector (*<0.9%), under its RCNA -STNO certification, the compound feed must be from an OQUALIM-STNO certified site or from a certification standard recognized as equivalent by OQUALIM.

The wholesale distributor must sample its bulk products.

The merchant must:

- perform or ensure that sampling of its products is done by the supplier
- must carry out a traceability exercise on a MPR / MPS delivered directly in livestock breeding (delivery in breeding> transport> storage> production site of the feed material). The frequency of this traceability exercise is based on the risk analysis and must be performed at least once a year.

2.2 Risk analysis of process

2.2.1 Risk analysis of cross contamination

The identification of transfer risks and the definition of means to be introduced to limit them are specific to feed production or feed storage tool (feed materials and/or compound feed). Indeed, solutions adopted and effective in one factory cannot be reproduced systematically in other factories. A specific risk analysis must be performed. The requirement level must be equal for all suitable production destinated to “fed without GMO^{<0.9%}”

2.2.2 Control of cross-contamination

For sites where GMO feed materials are used, the feed manufacturer sets out and installs means of limiting the transfer of feed material from one batch to another (cross contamination) at a technically unavoidable level.

The feed manufacturer incorporates these GMO-specific means (“control of labelling rules for no GMO present”) in the factory's quality system.

The feed manufacturer or distributor must validate and documents their qualification test of cross-contamination at each step of the process. Any process modification justifies a revision of the risk analysis and control measures.

2.2.3 Identification and Traceability

During the manufacturing stages, the manufacturer installs an identification and traceability system to:

- ensure exhaustive traceability of formulae manufactured using registration, classification and archiving methods (traceability of successive batches);
- register the type and quantities of feed materials used in each compound feed batch;
- troubleshoot a malfunction effectively and withdraw or recall an animal feed quickly, if appropriate;
- identify the destination of each batch of feed.

2.3 Analytical monitoring for compound feed

2.3.1 Internal analytical monitoring plan for compound feed

An analytical monitoring plan is set up **throughout the year** consistent with the manufacturing and distributing activities (Compound feed manufacturing, compound feed distribution transformation of feed materials, feed material distribution) and the diversity of feed formulae manufactured under specifications excluding the use of GMO.

Event research will focus on the sensitive and risky feed materials (MPS and MPR) present in the formula for manufactured animal feed. For sites where GMO and non-GMO feed materials are used, at a minimum 30% of GMO analyses will be performed on feed recipe containing non-GMO feed materials coexisting with GMO feed materials.

The minimum frequency of analysis for manufactured feed is defined in accordance with the following table:

Annual production under specifications excluding the use of GMO feed materials	Analysis frequency per year
<4000 T or for "non-GMO" ² dedicated sites	4 analyzes
4000 T to 12000 T	1 analysis for 1000 T
12000 T to 50 000 T	12 analyzes
50 001 T to 100 000 T	15 analyzes
100 001 T to 200 000 T	20 analyzes
200 001 T to 300 000 T	25 analyzes
>300 000 T	5 additional analyzes every 100 000 T

2.3.2 Interpretation of analyses results

The results of analyses on compound feed constitute a monitoring indicator for the specific GMO quality system set up by the manufacturer.

Feed analysis results produced as part of the internal monitoring plan are recorded and interpreted according to the decision tree in Appendix 2 - Factory analytical monitoring plan: management procedure for a "compound feed" analysis in the event of results strictly greater than 0.9% GMO.

Test results on manufactured feed made under external controls are interpreted according to the decision tree in Appendix 3 - Audit of "GMO-free fed" technical platform - or according to specific contractual requirements.

2.3.3 Improvement plan

Regardless of the conclusion drawn from the analysis results strictly greater than 0.9% GMO by the decision tree (Appendix 2), when the frequency exceed they are more frequent than the frequencies defined by the nomogram shown below, the manufacturer or the distributor applies a plan to improve the means of limiting cross contamination in the factory.

² Manufacturing sites using no GMO feed materials

Number of analyses carried out under the factory monitoring plan	Number of results strictly greater than 0.9% GMO, beyond which a plan to improve means used in the factory must be implemented
4	1
5	2
6	2
7	2
8	2
9	2
10	3
11	3
12	3
>12	25% of the number of analyses

3 Sampling and analysis management

The fields covered by the search for GMOs are relevant and allow to detect all the events authorized for marketing within the European Union. ³

3.1 Laboratories

The GMO search analyses are carried out in **COFRAC-accredited laboratories**. The accreditation relates to the following reference methods:

- **NF EN ISO 21569** – Food products - Analytical methods for the detection of genetically modified organisms and derived products - Qualitative methods based on the use of nucleic acids;
- **NF EN ISO 21570** - Food products - Analytical methods for the detection of genetically modified organisms and derived products - Qualitative methods based on the use of nucleic acids;
- **NF EN ISO 21571** - Food products - Analytical methods for the detection of genetically modified organisms and derived products - Extraction of nucleic acids;
- **NF EN ISO 24276** - Food products - Analytical methods for the detection of genetically modified organisms and derived products – General requirements and definitions.

³ https://webgate.ec.europa.eu/dyna/gm_register/index_en.cfm

3.2 Size of samples for laboratories

The minimum sample sizes are recommended in the technical documentation entitled "Technical guide for GMO analyzes" published by the SNIA and Coop de France Nutrition Animale.

3.3 Interpretation of the analysis results

The analytical tolerances are taken into account to draw a conclusion on the conformity of the analysis as per the provisions of Regulation (EC) No 152/2009:

$$[GMO\ content = analysis\ result - analytical\ uncertainty]$$

For the interpretation of the results, case of genes stacking and, particularly, taking into account the analytical uncertainties, the operators will refer to the technical documentation entitled "Technical Guide analyzes GMO" published by the SNIA and Coop de France Animal Nutrition.

In accordance with Article 12 of Regulation (EC) No 1829/2003 of 22nd September 2003, the labelling requirement for genetically modified organisms does not apply to 'feed containing a material containing GMOs consisting of such organisms or produced from such organisms in a proportion not exceeding 0.9% of the feed and of each of its components, provided that such presence is fortuitous or technically unavoidable.'

Feed containing, a GMO-containing material, consisting in such organisms or produced from such organism in a proportion less than or equal to 0.9% of the feed and each of its components is therefore not labelled in the meaning of the regulation, provided that this presence is fortuitous or technically unavoidable.

An result strictly greater than 0.9% GMO in a compound feed, whereas the feed materials contain less than 0.9% GMO, can be due to:

- **the presence of botanical impurities:** transferred accidentally during cultivation, storage or transport (permitted by the regulations up to 5%). Thus, the feed manufacturers are likely to incorporate feed materials possessing small quantities of other plant species (e.g. soya grains found in oilseed rape grains). These botanical impurities are added, if they are GMO, to the analysis result of a compound feed containing a feed material likely to be GMO.
- **cross contamination** during the manufacturing process (mixing, grinding, granulation, etc.), storage and transport : adventitious and technical unavoidable transfer of small quantities from a batch of feed material or compound feed to another batch of feed material or compound feed.
- **the amount of MPR and/or MPS incorporated:** the results of analyses (% GMO) of compound feed are expressed in relation to a plant species.
- **sampling and analysis problems:** difficulty in obtaining a representative sample and for a same sample, significant dispersion of results of analyses performed by different laboratories.

4 Labelling and communication

4.1 Labelling

The feed manufacturer, the distributor, the merchant, must undertake to buyers ordering from it feed (feed materials and/or compound feed) not subject to GMO labelling within the meaning of EC Regulation 1829/2003 of 22nd September 2003.

4.2 **Positive declaration** ~~Logo~~

Any STNO certified company must affix a positive declaration of the OQUALIM's brand on its manufactured and/or sold products:

- “from an OQUALIM-STNO certified site and suitable production “fed without GMO^{<0.9%”}” for distribution and trading
- “manufactured by an OQUALIM certified site and suitable for animal production “fed without GMO^{<0.9%”} for manufacturing

The use of the trademark is defined in the document “Instructions for Use of the OQUALIM's brand and logo”

4 Incident report

Any incident will be transmitted to OQUALIM according to the modalities describes in Appendix 4.

What is an incident for STNO ?

An incident is a scenario involving that animal feed not complying with the requirements of the technical platform would be placed on the market with a labelling complying with STNO requirements and could put at stake the reputation and credibility of the STNO certification.

The incident report applies in the cases below :

- Animal feed labelled GMO in accordance with Regulation (EC) No 1829/2003 of 22nd September 2003 AND containing material feed labelled GMO have been placed on the market with a positive declaration (“fed without GMO^{<0.9%”}) linked with the STNO certification of the site placing these feed on the market.
- Animal feed containing containing material feed labelled GMO unauthorized for distribution in Europe, have been placed on the market by a STNO site certified with the positive declaration “fed without GMO^{<0.9%”}

OQUALIM and stakeholders must be informed at least simultaneously.

How to report an incident ?

Certified companies must notify incidents to OQUALIM by filling the incident report form according to modalities in appendix 4 “Incident report”

In the case of doubt, a company not sure to face an incident will inform OQUALIM. Companies concerned or informed by an incident will forward it.


In general, the sooner is the better to communicate the information. After an incident report, if necessary, OQUALIM can give you information to manage the situation and to avoid damages in your site, the partners and the STNO standard.

Appendix 1 - Help in identifying feed materials likely to contain GMO

The list of feed materials likely to be affected by the GMO issue is evolving regularly as GMOs develop worldwide (authorization to cultivate and / or market). In order to propose a perennial scheme, the decision tree below can help in identifying risky and sensitive feed materials.


Sensitive Feed Materials (MPS) : guaranteed feed materials $\leq 0.9\%$ of GMOs for which there are GMO varieties authorized for distribution in the European Union, and from production areas where these GMO varieties are not authorized for cultivation.

At-risk Feed Materials (MPR) : guaranteed feed materials $\leq 0.9\%$ of GMOs for which there are GMO varieties authorized for distribution in the European Union, and from production areas where these GMO varieties are authorized for cultivation.




Feed materials with existing GMO varieties authorized in the distribution in the European Union and with an unknown cultivation area must be considered at risk (MPR)

Appendix 2 - Factory analytical monitoring plan: management procedure for a “compound feed” analysis in the event of results strictly greater than 0.9% GMO



Appendix 3 - Audit of "GMO-free fed" technical platform



Appendix 4 – Incident report

I- STNO incident report form

(to send to : contact@oqualim.fr completed and signed)

<u>1 – Company information</u>	
<p><u>Company</u></p> <p><u>- Site:</u></p> <p><u>- Address:</u></p> <p><input type="checkbox"/> <u>Manufacturer</u> <i>Of the product at the origin of reporting</i></p> <p><input type="checkbox"/> <u>Distributor</u></p>	<p><u>Contact :</u></p> <p><u>- First name Last name:</u>.....</p> <p><u>- Position:</u></p> <p><u>- Phone :</u>.....</p> <p><u>- E-mail:</u></p>

<u>2 – Information regarding the report</u>	
<p><u>Concerned product:</u></p> <p><input type="checkbox"/> <u>Compound feed manufactured on-site</u> <u>Date of manufacture :</u> / / _____</p> <p><input type="checkbox"/> <u>Purchase of compound feed</u> <input type="checkbox"/> <u>Purchase of feed material</u> <u>Name of supplier :</u></p> <p><u>Address :</u>..... <u>Contact :</u>..... <u>Date of delivery :</u> / / _____</p> <p><input type="checkbox"/> <u>Compound feed manufactured for a third part</u> <u>Name of third part :</u></p> <p><u>Address :</u>..... <u>Contact :</u>.....</p> <p><u>- Commercial name(s) :</u></p> <p><u>- Batch number¹ :</u></p> <p><u>- Quantity concerned (precise the one placed on the market):</u></p> <p><u>Date of manufacture or delivery :</u> / / _____</p> <p><u>- Marketing period :</u></p> <p><u>From</u> / / <u>to</u> / / _____</p>	<p><u>Type of incident :</u></p> <p><input type="checkbox"/> <u>Placing GMO feed on the market without the appropriate label, intended to use to “fed without GMO<0.9% sectors</u></p> <p><input type="checkbox"/> <u>Placing on the market feed material labelled GMO unauthorized to distribution in Europe</u></p> <p><u>Cause of the incident :</u></p> <p><u>The concerned part have been informed about the incident:</u></p> <p><input type="checkbox"/> <u>Clients</u> <input type="checkbox"/> <u>Suppliers</u> <input type="checkbox"/> <u>Sectors</u></p> <p><u>Is there any client certified with a standard in recognition with the STNO?</u></p> <p><input type="checkbox"/> <u>Yes</u> <input type="checkbox"/> <u>No</u></p>

¹: if unknown : Provide the delivery slip number

2 – Information regarding the report (to be continued)

Results of analyses

A PCR analyse was performed (provide a copy of the report with the nature of the sample, sampling date and location, laboratory and results with the percentage per species)

No GMO analyse was performed

3– Action plan

Comments :

II- Communication to Oqualim

The requested information must always be communicated, in writing, to OQUALIM.

OQUALIM

Address : 41bis boulevard La Tour-Maubourg, 75007 PARIS -FRANCE

Email: contact@oqualim.fr

Courriel : contact@oqualim.fr

III- Confidentiality of information

Unless otherwise stated in this document, OQUALIM shall not disclose any confidential information regarding a company (or certification body) to third parties, without written consent from the company in question.

Communication with respect to an incident will only take place between the parties concerned.

When companies, covered by a quality system other than the STNO Standard, are involved in an incident, and as OQUALIM has a mutual recognition agreement with those feed safety systems, the information regarding the incident will be communicated to the systems concerned.

Under no circumstances, shall OQUALIM, instead of the company, perform a notification. The company remains responsible for its legal obligations in terms of notification and risk management.